

Contents

1	Simple Spectra and Standard Experimental Techniques	1
1.1	Rotation-Vibration-Electronic Spectra of Diatomic Molecules . . .	2
1.1.1	Rotation-Vibration-Electronic Energy Levels and Standard Notation	3
1.1.2	Band Systems, Bands, and Branches	6
1.1.3	Rotational Structure: Fortrat Parabola	6
1.1.4	Some Strategies for Rotational Line Assignments	11
1.2	Experimental Techniques of Diatomic Molecule Spectroscopy . . .	21
1.2.1	The Goals of a Spectroscopic Experiment	21
1.2.1.1	What and How Much?	22
1.2.1.2	Rotational Analysis of a Spectrum	24
1.2.1.3	Spectroscopic Strategies: Access and Selectivity	26
1.2.2	Classes of Spectroscopic Experiment	27
1.2.2.1	One Photon Resonant: Upward (Absorption Spec- tra)	27
1.2.2.2	One Photon Resonant: Downward (Emission Spec- tra)	33
1.2.2.3	Multiple Resonance Spectra	35
1.2.2.4	Photofragment and Coincidence Experiments	39
1.2.3	Molecule Sources	41
1.2.4	Frequency Calibration	43
1.2.5	Detection Techniques	45
1.2.6	Radiation Sources	47
1.3	References	55
2	Basic Models	61
2.1	What Is a Perturbation?	62
2.2	Structural Models	69
2.3	Elementary Properties of Angular Momenta in Diatomic Molecules	72
2.3.1	Angular Momentum Components Defined by Normal and Anomalous Commutation Rules	73
2.3.2	Recipes for Evaluation of Molecule-Fixed Angular Mo- mentum Matrix Elements	79

2.3.3	Euler Angles, $ JM\Omega\rangle$ Basis Functions, Direction Cosines, and Phases	81
2.4	Estimation of Parameters in a Model Hamiltonian	83
2.5	Data Compilations	84
2.6	References	85
3	Terms Neglected in the Born-Oppenheimer Approximation	87
3.1	The Born-Oppenheimer Approximation	89
3.1.1	Potential Energy Curves	90
3.1.2	Terms Neglected in the Born-Oppenheimer Approximation	92
3.1.2.1	Electrostatic and Nonadiabatic Part of \mathbf{H}	92
3.1.2.1.1	Crossing or Diabatic Curves	93
3.1.2.1.2	Noncrossing or Adiabatic Curves	94
3.1.2.2	The Spin Part of \mathbf{H}	94
3.1.2.3	Rotational Part of \mathbf{H}	96
3.2	Basis Functions	99
3.2.1	Hund's Cases	101
3.2.1.1	Definition of Basis Sets	103
3.2.1.2	Quantum Numbers, Level Patterns, and the Effects of Terms Excluded from $\mathbf{H}^{(0)}$	113
3.2.1.3	Intermediate Case Situations	126
3.2.1.3.1	Introduction	126
3.2.1.3.2	Examples	127
3.2.1.4	Transformations Between Hund's Case Basis Sets	130
3.2.1.5	Spectroscopic vs. Dynamical Hund's Cases	136
3.2.1.6	Relationship between Noncommuting Terms in \mathbf{H} and the Most Appropriate Hund's Case	137
3.2.2	Symmetry Properties	138
3.2.2.1	Symmetry Properties of Hund's Case (a) Basis Functions	138
3.2.2.2	Symmetry Properties of non-Hund's Case (a) Basis Functions	145
3.2.3	Molecular Electronic Wavefunctions	148
3.2.4	Matrix Elements between Electronic Wavefunctions	156
3.3	Electrostatic Perturbations	161
3.3.1	Diabatic Curves	163
3.3.2	Approximate Representation of the Diabatic Electronic Wavefunction	165
3.3.3	Adiabatic Curves	168
3.3.4	Choice between the Diabatic and Adiabatic Models	172
3.3.5	Electromagnetic Field-Dressed Diabatic and Adiabatic Potential Energy Curves	177
3.4	Spin Part of the Hamiltonian	180
3.4.1	The Spin-Orbit Operator	181

3.4.2	Expression of Spin-Orbit Matrix Elements in Terms of One-Electron Molecular Spin-Orbit Parameters	183
3.4.2.1	Matrix Elements of the $\mathbf{l}_{zi} \cdot \mathbf{s}_{zi}$ Term	183
3.4.2.1.1	Diagonal Matrix Elements	184
3.4.2.1.2	Off-Diagonal Matrix Elements	187
3.4.2.2	Matrix Elements of the $(\mathbf{l}_i^+ \mathbf{s}_i^- + \mathbf{l}_i^- \mathbf{s}_i^+)$ Part of \mathbf{H}^{SO}	190
3.4.3	The Spin-Rotation Operator	191
3.4.4	The Spin-Spin Operator	196
3.4.4.1	Diagonal Matrix Elements of \mathbf{H}^{SS} : Calculation of the Direct Spin-Spin Parameter	196
3.4.4.2	Calculation of Second-Order Spin-Orbit Effects	199
3.4.4.2.1	π^2 Configuration	201
3.4.4.2.2	$\pi^3\pi'$ (or $\pi^3\pi'^3$ and $\pi\pi'$) Configurations	201
3.4.4.3	Off-Diagonal Matrix Elements	202
3.4.5	Tensorial Operators	203
3.5	Rotational Perturbations	210
3.5.1	Spin-Electronic Homogeneous Perturbations	210
3.5.2	The \mathbf{S} -Uncoupling Operator	212
3.5.3	The \mathbf{L} -Uncoupling Operator	213
3.5.4	${}^2\Pi \sim {}^2\Sigma^+$ Interaction	217
3.6	References	227
4	Methods of Deperturbation	233
4.1	Variational Calculations	234
4.2	The Van Vleck Transformation and Effective Hamiltonians	237
4.3	Approximate Solutions	243
4.3.1	Graphical Methods for Deperturbation	243
4.3.2	Direct Diagonalization Versus Algebraic Approaches	247
4.4	Exact Solutions	248
4.4.1	Least-Squares Fitting	248
4.4.1.1	Linear Least-Squares Fitting	248
4.4.1.2	Nonlinear Least-Squares Fitting	251
4.4.1.3	Practical Considerations	255
4.4.1.4	Least Squares vs. Robust Estimator Fitting	257
4.4.1.5	Types of Programs	258
4.4.2	Comparison Between Effective and True Parameters	261
4.4.3	Coupled Equations	264
4.5	Typical Examples of Fitted Perturbations	267
4.5.1	An Indirect Heterogeneous Perturbation: $\text{NO } B^2\Pi \sim C^2\Pi \sim D^2\Sigma^+$	267
4.5.2	A Strong Multistate Interaction in the NO Molecule	269
4.6	References	272

5	Interpretation of the Perturbation Matrix Elements	275
5.1	Calculation of the Vibrational Factor	278
5.1.1	Semiclassical Approximation	279
5.1.2	Model Potentials	285
5.1.3	Numerical Potentials and Vibrational Wavefunctions	288
5.1.4	Some Remarks about “Borrowed” Computer Programs	291
5.1.5	Vibrational Assignment by the Matrix Element Method	293
5.1.6	Homogeneous vs. Heterogeneous Perturbations	305
5.2	Order of Magnitude of Electrostatic Perturbation Parameters: Interactions Between Valence and Rydberg States of the Same Symmetry	307
5.2.1	Valence and Rydberg States	308
5.2.2	Different Classes of Valence~Rydberg Mixing	310
5.2.3	Electrostatic Perturbations Between Valence and Ryd- berg States	312
5.2.4	Electrostatic Perturbations between Rydberg States Con- verging to Different States of the Ion	314
5.3	Order of Magnitude of Spin Parameters	315
5.3.1	Diagonal Spin-Orbit Parameters	318
5.3.2	Off-Diagonal Spin-Orbit Parameters	322
5.3.3	Spin-Spin Parameters	323
5.4	Magnitudes of Rotational Perturbation Parameters	325
5.5	Pure Precession Approximation	327
5.6	R -Dependence of the Spin Interaction Parameters	333
5.7	Beyond the Single-Configuration Approximation	340
5.8	Identification and Location of Metastable States by Perturbation Effects	341
5.9	References	342
6	Transition Intensities and Special Effects	347
6.1	Intensity Factors	348
6.1.1	Interrelationships between Intensity Factors	348
6.1.2	General Formulas for One-Photon and Multi-Photon Tran- sition Strengths	355
6.1.2.1	One-Photon Transitions	356
6.1.2.2	Two-Photon Transitions	359
6.1.2.3	Three-Photon Transitions	366
6.1.2.4	Comparisons between Excitation Schemes Involv- ing Different Numbers of Photons	367
6.2	Intensity Borrowing	368
6.2.1	Perturbations by States with “Infinite” Radiative Life- time; Simple Intensity Borrowing	368
6.2.2	Multistate Deperturbation; The NO $^2\Pi$ States	375
6.3	Interference Effects	378
6.3.1	Perturbations between States of the Same Symmetry; Vibrational- Band Intensity Anomalies	380

6.3.2	$\Delta\Lambda = \pm 1$ Perturbations; Rotational-Branch Intensity Anomalies	386
6.3.3	Assignments Based on Pattern-Forming Rotational Quantum Numbers	403
6.3.4	$\Sigma^+ \sim \Sigma^-$ Perturbations; Subband Intensity Anomalies in $\Sigma \leftrightarrow \Pi$ Transitions	404
6.3.5	F_1 vs. F_2 Intensity Anomalies in ${}^2\Sigma$ States	405
6.4	Forbidden Transitions; Intensity Borrowing by Mixing with a Remote Perturber	406
6.5	Special Effects	415
6.5.1	Differential Power Broadening	416
6.5.2	Effects of Magnetic and Electric Fields on Perturbations	418
6.5.3	Anticrossing, Quantum-Beat, and Double-Resonance Experiments	427
6.5.4	Rydberg States and the Zeeman Effect	439
6.5.5	Nonthermal Population Distributions; Chemical and Collisional Effects	445
6.5.6	“Deperturbation” at High Pressure and in Matrices	455
6.5.7	Matrix Effects	458
6.6	References	460
7	Photodissociation Dynamics	469
7.1	Photofragmentation	470
7.2	Direct Dissociation	471
7.2.1	Photodissociation: Wigner-Witmer Rules	471
7.2.2	Photodissociation Cross Sections	476
7.2.3	Photofragment Branching Ratios for Photodissociation	485
7.2.4	Photofragment Angular Distribution	486
7.2.5	Alignment of the Photofragment	491
7.3	Introduction to Predissociation	493
7.4	Experimental Aspects of Predissociation	495
7.4.1	Measurement of Lifetimes	496
7.4.2	Measurement of Linewidths	498
7.4.3	Energy Shifts	503
7.4.4	Detection of Fragments	505
7.5	Theoretical Expressions for Widths and Level Shifts	505
7.6	The Vibrational Factor	510
7.7	Mulliken’s Classification of Predissociations	514
7.8	The Electronic Interaction Strength	518
7.8.1	Electrostatic Predissociation	519
7.8.2	Spin-Orbit Predissociation	520
7.8.3	Rotational or Gyroscopic Predissociation	521
7.8.4	Hyperfine Predissociation	521
7.9	Fano Lineshape	522
7.10	Isotope Effects	526
7.11	Examples of Predissociation	528

7.11.1	Examples of Spin-Orbit Predissociation	528
7.11.2	Examples of Nonadiabatic Predissociation	531
7.12	Case of Intermediate Coupling Strength	535
7.13	Indirect (Accidental) Predissociation and Interference Effects . .	538
7.14	Some Recipes for Interpretation	543
7.15	References	545
8	Photoionization Dynamics	551
8.1	Direct Ionization	552
8.1.1	Photoelectron Spectroscopy	552
8.1.2	ZEKE Spectroscopy	557
8.1.3	Shape resonances	559
8.1.4	Cooper minima	561
8.2	Experimental Aspects of Autoionization	564
8.3	The Nature of Autoionized States	568
8.4	Autoionization Widths	569
8.5	Rotational Autoionization	572
8.6	Vibrational Autoionization	576
8.7	Spin-Orbit Autoionization	581
8.8	Electronic (or Electrostatic) Autoionization	586
8.9	Validity of the Approximations	588
8.10	Influence of Autoionization on ZEKE Peak Intensities	591
8.11	Photoelectron Angular Distribution, Photoion Alignment, and Spin Polarization	595
8.11.1	Photoelectron Angular Distribution	595
8.11.2	Photoion Alignment	600
8.11.3	Spin-Polarization	602
8.12	Competition between Autoionization and Predissociation	604
8.12.1	Superexcited State Decay Pathways	604
8.12.2	Theoretical Treatment	608
8.13	Coherent Control of Photofragmentation Product Branching Ratios	609
8.14	References	615
9	Dynamics	621
9.1	Dynamical Concepts, Tools, and Terminology	622
9.1.1	The Time-Dependent Picture: Terminology	623
9.1.2	Solution of the Time-Dependent Schrödinger Equation . .	624
9.1.3	Frequency Domain Spectra Treated as the Fourier Trans- form of the Autocorrelation Function	626
9.1.4	Dynamical Quantities	635
9.1.5	General Density Matrix Formulation of a Dynamical Ex- periment: Excitation, Evolution, and Detection Matrices .	639
9.1.6	Particle (Photon) vs. Wave Pictures of Spectroscopy . . .	643
9.1.7	Motion of the Center of the Wavepacket	644
9.1.8	Equations of Motion for Resonance Operators	646
9.1.9	The One-Color Pump-Probe Experiment	649

9.1.10	Crafted Pulses for Detailed Manipulation of Molecular Dynamics	655
9.2	From Quantum Beats to Wavepackets	656
9.2.1	Polarization Quantum Beats	657
9.2.2	Population Quantum Beats	658
9.2.3	Nuclear Wavepackets	659
9.2.3.1	Vibrational Wavepackets	661
9.2.3.2	Rotational Wavepackets	667
9.2.4	Rydberg Wavepackets: Kepler and Precessional Periods	668
9.3	Relaxation into a Quasi-Continuum: A Tool for Dimensionality Reduction	671
9.3.1	The Complex-Energy Effective Hamiltonian	672
9.3.1.1	Treatment of Two-State Interaction by Nondegenerate Perturbation Theory	674
9.3.1.2	Treatment by Quasidegenerate Perturbation Theory: 2×2 Diagonalization	675
9.3.2	Quantum Beats Between Two Decaying Quasi-Eigenstates	679
9.3.3	The Use of the Complex \mathbf{H}^{eff} in Reduced-Dimension Models	681
9.4	<i>Beyond</i> the Spectra and Dynamics of Diatomic Molecules	683
9.4.1	Basis States	683
9.4.2	What is Deperturbation Anyway?	684
9.4.3	Visualization of Dynamics	685
9.4.4	Beyond Diatomic Molecules: Polyatomic Molecule Vibrational Dynamics	687
9.4.5	Polyads	689
9.4.6	Creation and Annihilation Operators	690
9.4.7	Dynamics in State Space	692
9.4.8	Number Operator	693
9.4.9	Resonance Energy and Energy Transfer Rate Operators	694
9.4.10	The Use of Expectation Values of Resonance Operators to Visualize Dynamic Processes	697
9.4.11	\mathbf{Q} and \mathbf{P}	700
9.4.12	Transformation Between Local and Normal Mode Limits	702
9.4.12.1	Classical Mechanical Treatment	703
9.4.12.2	The Morse Oscillator	705
9.4.12.3	Quantum Mechanical Minimal Model for Two Anharmonically Coupled Local Stretch Morse Oscillators	706
9.4.12.4	Transformation between 4-Parameter Forms of the Normal and Local Mode Basis Sets	710
9.4.12.5	Transformation between 6-Parameter Forms of the Normal Mode and Local Mode \mathbf{H}^{eff}	714
9.4.13	From Quantum Mechanical \mathbf{H}^{eff} to Classical Mechanical $\mathcal{H}(\mathbf{Q}, \mathbf{P})$	717
9.4.14	Polyatomic Molecule Dynamics	733

9.4.15	Inter-System Crossing, Internal Conversion, and Intramolecular Vibrational Distribution	733
9.5	References	736

List of Tables

1.1	Typical Ground State Molecular Constants (Huber and Herzberg, 1979)	5
2.1	Direction Cosine Matrix Elements for $\Delta J = 0^a$	77
3.1	Definitions and Approximations Associated with Different Types of Potential Energy Curves	95
3.2	Off-Diagonal Matrix Elements of Total Hamiltonian between Unsymmetrized Basis Functions	97
3.3	Hund's Cases	112
3.4	Spin Eigenfunctions ^a of \mathbf{S}^2 for $\Sigma = S$	151
3.5	Comparison between Diabatic and Adiabatic Parameters	171
3.6	Comparison between Two Types of Deperturbation of the G and I $^1\Pi$ States of SiO (in cm^{-1})	176
3.7	Comparison between Some Calculated and Observed Values for the First-Order Contribution to the Spin-Rotation Constant	194
3.8	Semiempirical Expressions for Effective Spin-Spin Constants: Valence States of Homonuclear Molecules	200
3.9	$^2\Pi(\pi) \sim ^2\Sigma^+(\sigma)$ Interaction Matrix ^a	219
4.1	Mixing Coefficients for e -Parity Levels of the $^{14}\text{N}^{16}\text{O}$ $\text{B}^2\Pi \sim \text{C}^2\Pi \sim \text{L}^2\Pi \sim \text{D}^2\Sigma^+$ Perturbation ^a	271
5.1	Calculated Electronic Factors for Trial Vibrational Numberings of the $e^3\Sigma^-$ Perturber of SiO $\text{A}^1\Pi$ (cm^{-1})	300
5.2	Perturbation Parameters for the BaS Molecule	305
5.3	Comparison of Spin-Orbit Coupling Constants of Rydberg and Valence States (cm^{-1})	309
5.4	Some Values of the Electrostatic Parameter	313
5.5	Dependence on n^* of the Electrostatic Perturbation Parameter	314
5.6	Spin-Orbit Constants of Atoms and Ions (cm^{-1}) ^a	316
5.6	(Continued).	317
5.7	Spin-Orbit Constants for Isovalent Molecules (cm^{-1}) ^a	321
5.8	Electronic Perturbation Parameters in the Single Configuration Approximation ^{a,b}	324

5.9	Values of the Atomic Spin-Spin Parameter η (cm^{-1}) ^a	324
5.10	Effective Spin-Spin Constants for $^3\Sigma^-$ States of π^2 Configurations (cm^{-1})	326
5.11	Some Spin-Orbit and Orbital Perturbation Matrix elements	327
6.1	M -Independent $\langle \Omega' J' \alpha \Omega J \rangle$ Direction Cosine Matrix Elements	391
6.2	Rotational Linestrengths for Case (c) $\frac{1}{2} - \frac{1}{2}$ Transitions	397
6.3	Rotational Linestrengths for $^3\Sigma^- - ^1\Sigma^+$ Transitions	399
6.4	The NO $B^2\Pi_{1/2} - X^2\Pi_{1/2}$ Transition in the Gas Phase and in Inert Gas Matrices	456
7.1	Correlation between molecular and atomic wave functions for HX at $R=\infty$ (X=Halogen) ^c	475
7.2	Order of Magnitude of Predissociation Rates	499
7.3	Well-Characterized Weak Predissociations	500
7.4	Well-Characterized Strong Predissociations	501
8.1	Minimum n -values Required for Different Types of Autoionized States	573
8.2	Typical Examples of Autoionization Linewidths	578
8.3	The asymmetry parameter, β , for each angular momentum transfer, j_t	596
8.4	The geometrical factors for the β parameter for a Σ ion-core (from Table 1 of Thiel, 1983).	599

List of Figures

1.1	A diatomic molecule	4
1.2	A typical vibrational band of an electronic transition	7
1.3	A bandhead	9
1.4	The lines in the R and P branches	10
1.5	Lower and Upper State Rotational Combination Differences.	12
1.6	Vibrational bands linked via a common vibrational level	14
1.7a	A Loomis-Wood plot of an NbO $d^2\Delta_{3/2} - a^2\Delta_{3/2}$ sub-band	16
1.7b	A Loomis-Wood plot of an NbS $^2\Delta_{5/2} - ^2\Delta_{5/2}$ sub-band	17
1.7c	A one-sided Loomis-Wood plot	18
1.8	A vibrational progression of $R(J-1), P(J+1)$ doublets in an I_2 $B0_u^+ - X^1\Sigma_g^+(v' = 58, v'' = 93-98)$ dispersed fluorescence spectrum	20
1.9	Collision induced rotational relaxation	21
1.10	REMPI-TOF permits selective simultaneous recording of separate spectra for different cluster species or for different isotopomers	23
1.11	Lower state rotational combination differences for two consecutive vibrational levels.	25
1.12	Lower state rotational combination differences for two consecutive members of the same branch	25
1.13	Velocity Modulation Spectra (VMS)	30
1.14	Simultaneously recorded REMPI-TOF spectra of several isotopomers	32
1.15	Dispersed Fluorescence Spectrum of AgAu	33
1.16	v'' -dependent $R(J-1) : P(J+1)$ intensity anomalies	35
1.17	Level diagrams for two-color double resonance experiments	36
1.18	PHOFEX Spectra of Ketene	40
2.1	A comparison of the SiO $H^1\Sigma(0,0)$ and bands	62
2.2	Pictorial evidence that a perturbation affects the upper rather than lower electronic state.	63
2.3	Perturbations and predissociations affect absorption and emission line intensities in quite different ways	64
2.4	Relationships between molecule-fixed (xyz) and space-fixed (XYZ) axis systems.	83
3.1a	Natural rotational quantum numbers for Hund's cases (a) and (b).	118
3.1b	(b) Plot of $T_{v,J} - BN(N+1)$	119

3.2	e/f and total parity labeling of $^3\Sigma^+$ and $^1\Pi$ levels.	146
3.3	Branching diagram shows the number of states of each spin multiplicity	150
3.4	Electrostatic valence~Rydberg perturbations	162
3.5	Diabatic and adiabatic potential curves.	164
3.6	Variation of ΔG_v for the mutually interacting b' and $c'^1\Sigma_u^+$ states of N_2	166
3.7	$^2\Delta$ and $^2\Pi$ potential energy curves of NO.	167
3.8	<i>Ab initio</i> adiabatic potential curves with double minima for the $^1\Sigma_g^+$ states of H_2	173
3.9	<i>Ab initio</i> $\partial/\partial R$ and $\partial^2/\partial R^2$ matrix elements between the E, F and G, K adiabatic states of H_2	174
3.10	Perturbations between the $6p\pi$ and $11p\pi$ $^1\Pi_u$ Rydberg states of H_2	175
3.11	Potential energy curves for the $1s\sigma_g$ and $2p\sigma_u$ states of H_2^+	179
3.12	Field-dressed potential energy curves for H_2^+	180
3.13	Correlation diagram between case (a) and case (c).	189
3.14	Electronic coordinate system.	192
3.15	Σ states derived from π^2 and $\pi^3\pi'$ configurations.	199
3.16	Perturbations between $\Omega = \frac{3}{2}$ and $\frac{1}{2}$ sublevels of the $^{15}N^{80}Se$ $X^2\Pi_r$ state.	213
3.17	Anomalous Λ -doubling in the $X^2\Pi_r$ state of $^{15}N^{80}Se$	214
3.18	Anomalous Λ -doubling in the $CS^+ A^2\Pi_i$ state	215
3.19	Potential energy curves of the excited states of CO.	217
3.20	Λ -doubling of $^2\Pi$ states and spin-doubling of $^2\Sigma^+$	225
4.1	Plot of effective ΔB -value versus $J(J+1)$ for the $Si^{16}O e^3\Sigma^-(v=9) \sim A^1\Pi(v=2)$ perturbation.	245
4.2	The $^{14}N^{16}O B^2\Pi(v_B=24) \sim C^2\Pi(v_C=6) \sim L^2\Pi(v_L=5) \sim D^2\Sigma(v_D=6)$ perturbation.	270
5.1	Isotope effect on a vibrational level	277
5.2	Bound level in a potential.	280
5.3	The regular Airy function $Ai(-Z)$	281
5.4	Phase space mapping for the harmonic model.	282
5.5	Semiclassical calculation of vibrational overlap integrals	284
5.6	Two displaced harmonic oscillators.	287
5.7	Perturbations in the $^{28}Si^{18}O$ and $^{28}Si^{16}O A^1\Pi$ state.	293
5.8	Level shifts, reduced term values, and effective B -values for homogeneous versus heterogeneous perturbations.	297
5.9	Potential energy curves for the $X^1\Sigma^+$, $a^3\Pi_i$, $A'^1\Pi$, and $A^1\Sigma^+$ electronic states of the BaS molecule.	303
5.10	Interleaved $A'^1\Pi$ and $a^3\Pi$ levels of BaS.	304
5.11	Calculated $^2\Sigma^+$ ($3s\sigma$) state of CH.	310
5.12	Rydbergized and complementary $^3\Pi_u$ states in O_2	311
5.13	CO $a^3\Pi_1 \sim a'^3\Sigma_1^+$ spin-orbit parameters	325

5.14	R -variation of the spin-orbit constant for the CO $a^3\Pi$ state. . . .	333
5.15	R -variation of the spin-orbit constant for the PO $X^2\Pi$ state. . . .	335
5.16	Diagonal $A(R)$ and off-diagonal spin-orbit ($\langle AL^+ \rangle$) and orbital ($\langle L^+ \rangle$) perturbation parameters for the OH $X^2\Pi$ state	335
5.17	Correlation diagram showing the effect of an electric field on atomic $L - S$ terms	336
5.18a	The diagonal and off-diagonal spin-orbit matrix elements as a function of the NO^+ internuclear separation	339
5.18b	The dependence of the $\langle ^3\Pi \mathbf{L}_+ ^3\Sigma^+ \rangle$ matrix element of NO^+ on the internuclear separation.	339
6.1	Parity and e/f labels for the rotational branches of a one-photon $^1\Pi - ^1\Sigma^+$ transition.	360
6.2	Allowed two-photon pathways via the $\text{NO } A^2\Sigma^+$ virtual state for the two-photon O_{1e2e} and O_{1f2f} rotational branches.	365
6.3	Radiative decay rates ($\Gamma = 1/\tau$) for single e -parity rotational levels of CO $A^1\Pi$ ($v = 0$).	372
6.4	Mixing fractions in $^{30}\text{Si}^{32}\text{S } A^1\Pi$ ($v = 5$).	373
6.5	Deperturbed potential curves for the mutually interacting $^2\Pi$ valence and Rydberg states of NO	376
6.6	The vanishing of an entire band as a result of a homogeneous perturbation.	382
6.7	Schematic illustration of intensity interference effects.	385
6.8	Calculated perturbed and deperturbed intensities for $\text{N}_2 ^1\Pi_u \leftarrow X^1\Sigma_g$ ($v = 0$) transitions.	387
6.9	Natural rotational quantum numbers for the $\text{NO } 4f$ Rydberg complex.	401
6.10	Variation of the CO $a^3\Pi$ radiative lifetime versus J and Ω	410
6.11	The $a^3\Pi_0 - X^1\Sigma^+(0,0)$ sub-band of CS	413
6.12	Level scheme for optical-optical double resonance on $\text{BaO } C^1\Sigma^+ \leftarrow A^1\Sigma^+ \leftarrow X^1\Sigma^+$	416
6.13	OODR differential power broadening in BaO	417
6.14	Effect of magnetic field and pressure on the $\text{CN } B^2\Sigma^+ - X^2\Sigma^+(0,0)$ R branch lines.	420
6.15	Calculated Zeeman patterns for the perturbed rotational levels of $\text{CN } A^2\Pi$ ($v = 10$) $\sim B^2\Sigma^+$ ($v = 0$).	422
6.16	g_J -values for $^{80}\text{Se}_2 \text{B}0_u^+$	426
6.17	Difference in lifetime for σ^+ versus σ^- polarized fluorescence . .	426
6.18	$\text{H}_2 \text{W}^1\Sigma_g^+ \sim i^3\Pi_g$ anticrossing spectra.	428
6.19	Stark quantum beats in $\text{BaO } A^1\Sigma^+(v = 2, J = 1)$	434
6.20	$\text{BaO } C^1\Sigma^+ - a^3\Sigma^+(2,12)$ fluorescence excited by OODR.	439
6.21	Angular Momentum Coupling Schemes for Rydberg States of a Diatomic Molecule with a closed-shell Molecular-Ion-Core. . . .	441
6.22	Resolved Rotational (N^+) and Zeeman (m_l) Structures in the $\text{NO } 15f - A^2\Sigma^+$ Electronic Transition	442

6.23	The Zeeman Patterns of $n = 6 - 30$ $nf(N^+ = 3)$ complexes of NO in a 1 Tesla Magnetic Field.	442
6.24	Calculated $J \rightarrow J + 1$ rate constants for CaO + N ₂ O collisions.	452
6.25	Comparison of observed and deperturbed ΔG values for the NO B ² $\Pi_{1/2}$ state with ΔG values observed in a 5 K Ne matrix.	457
6.26	Schematic of CN A ² $\Pi \leftrightarrow X^2\Sigma^+$ relaxation in a neon matrix.	459
6.27	NO a ⁴ $\Pi \rightarrow B^2\Pi$ intersystem crossing mechanism in Ar at 5 K.	460
7.1	Transition from (Λ, S) to (J_1, J_2) coupling for the ² P + ² S separated atom states.	474
7.2	Schematic description of the dissociation channels Br ⁺ (³ P _{<i>J</i>}) + H(² S)	479
7.3	Reflection approximation	480
7.4	Potential energy curves of OH and Calculated photodissociation cross sections	481
7.5	Total photodissociation cross sections, $\sigma(E)$, for HCl	482
7.6	Schematic relativistic adiabatic potential curves of HI	483
7.7	$X^*/(X^* + X)$ photofragment branching ratios that result from photodissociation of HBr and HI molecules	484
7.8	Coordinate system defining the direction of the incident radiation (+Z) and location of the photofragment detector	489
7.9	Intensity distributions for three important values of β : 2, 0, and -1.	489
7.10	Asymmetry parameters, β	491
7.11	M_J -sublevel populations for $J = 2$. (a) no polarization; (b) orientation; (c) alignment	492
7.12	Predissociation by rotation	494
7.13	Predissociation	494
7.14	Measured lifetimes of the CH A ² Δ state.	497
7.15	The diffuse 15-0 Band of the B 0 _{<i>u</i>} ⁺ - X 0 _{<i>g</i>} ⁺ system of ⁷⁸ Se ₂	502
7.16	A Lorentzian lineshape	502
7.17	$\Delta^2 G(v)$ differences in the O ₂ B ³ Σ_u^- state.	504
7.18	Differential oscillator strengths	507
7.19	Pictorial descriptions of the phase difference between bound and continuum vibrational wavefunctions.	512
7.20	Example of an outer-limb curve crossing	514
7.21	Variation of linewidth versus N in the OD A ² Σ^+ state.	515
7.22	Schematic illustration of the variation of Γ versus v and J	516
7.23	Example of an inner-limb curve crossing	517
7.24	The potential energy curves of CH.	518
7.25	Example of ² $\Pi \sim ^2\Pi$ Rydberg~valence electrostatic interaction in NO.	520
7.26	Fano profiles for $q < 0, q = 0, q > 0$, and $q = \infty$ (and $-\infty$).	522
7.27	The potential energy curves for some excited states of H ₂	524
7.28	Fano lineshape in H ₂	525
7.29	Reduced mass dependence of the reduced (dimensionless) linewidth.	527

7.30	Jet absorption spectra of CO isotopomers in the region from 109100 to 109600 cm^{-1}	529
7.31	The potential energy curves of OH.	530
7.32	The potential energy curves of O_2^+	531
7.33	Vibration dependence of the observed and calculated predissociation rates for the $\text{C}^2\Sigma_u^+$ state of $^{14}\text{N}_2^+$, $(^{14}\text{N}^{15}\text{N})^+$, and $^{15}\text{N}_2^+$	532
7.34	Calculated adiabatic potential energy curves for the $\text{B}^2\Sigma_u^+$ and $\text{C}^2\Sigma_u^+$ states of N_2^+	532
7.35	Vibrational wavefunctions for the N_2^+ $\text{C}^2\Sigma_u^+ v = 4$ level and the isoenergetic continuum of $\text{B}^2\Sigma_u^+$. Isotopic dependence in the accumulation of $\langle \chi_E^{\text{B}} W_{\text{BC}}^e(R) d/dR \chi_4^{\text{C}} \rangle$ vibronic integral	534
7.36	Predissociation for a pair of states intermediate between adiabatic and diabatic coupling limits.	537
7.37	Variation of Γ versus $(H^e)^2$	539
7.38	The potential energy curves of some states of N_2	541
7.39	Schematic mechanism of indirect or accidental predissociation.	541
7.40	Comparison between the Budó-Kovács and coupled equations models for indirect predissociation	542
7.41	Linewidth variation in the OH $\text{A}^2\Sigma^+(v = 8)$ level for the resolved F_1 and F_2 spin components.	544
8.1	A Photoelectron Spectrum (PES) of HCl.	553
8.2	Differential cross sections for p→d and p→s transitions in both discrete and continuous spectra	554
8.3	Photoelectron spectrum of NO	556
8.4	Mechanism and timing of a ZEKE spectroscopy experiment	558
8.5	A pair of Rydbergized and complementary states in O_2	562
8.6	Vibrational state branching ratio for the photoionization of N_2	563
8.7	The 3d bound orbital and two examples of ϵf continuum wavefunctions	563
8.8	Relationship between full width at half maximum (FWHM) of individual lines and band contours.	566
8.9	Absorption spectrum showing the autoionization of the N_2 Hopfield Rydberg series.	567
8.10	Hydrogenic radial wavefunctions for successive 2p and 3p Rydberg orbitals	570
8.11	Schematic illustration of rotational autoionization in <i>para</i> - H_2	575
8.12	Relative photoionization cross section of <i>para</i> - H_2 , at 78 K, in the region of the ionization threshold.	577
8.13	Schematic illustration of vibrational autoionization of the H_2 $np\pi_u$ $^1\Pi_u$ state	578
8.14	Photoionization cross-section of N_2	580
8.15	Photoionization of HI showing spin-orbit autoionization	584
8.16	Energy level diagram for a $^2\Pi_i$ state	585
8.17	Calculated lifetimes of rotational levels of HCl $n = 93$	585

8.18	Schematic illustration of the electrostatic autoionization of the ${}^1\Pi_u$ Rydberg states converging to the $A^2\Pi_u$ state of N_2^+ by the continuum of the $X^2\Sigma_g^+$ state.	587
8.19	The phase shift induced by the electric field of the core ion in a nonhydrogenic atom.	591
8.20	PES of HCl	593
8.21	ZEKE-PFI spectrum of HCl.	594
8.22	Photoion vibrational branching fractions and photoelectron asymmetry parameters for $CO^+ X^2\Sigma^+$	599
8.23	Spectra illustrating various decay pathways for the $H_2 D^1\Pi_u v = 8$ level	605
8.24	Potential energy curves of HCl (solid curves) and HCl^+ (dashed curves).	606
8.25	Four spectra which sample different decay pathways for superexcited states of HCl	607
8.26	Calculated photoionization of HCl into the $HCl^+ X^2\Pi$ state . . .	608
8.27	Potential energy diagram of Na_2 displaying the control mechanism for direct ionization and dissociative ionization of Na_2	611
8.28	Ratio of atomic to molecular products (Na^+/Na_2^+) as a function of the delay between the 340-nm pump and 540-nm probe pulses.	611
8.29	Detection of ionization (HI^+) and dissociation.	612
8.30	Potential energy diagram of HI showing the control mechanism for ionization vs. dissociation.	613
8.31	Calculated phase lag in the region of the 5d δ resonance of HI. . .	614
9.1	Motion of a wavepacket in coordinate space	625
9.2	Relationships between features in the autocorrelation function, $\langle\phi \phi(\tau)\rangle$, and lineshapes in the frequency domain spectrum, $I(\omega)$	628
9.3	Photodissociation Spectra of ABC.	634
9.4	Dependence of the amplitude and phase of the survival and transfer probability on mixing angle in $\Psi_I(0)$	638
9.5	The phase of a vibrational quantum beat	642
9.6	Wavepacket Interferometry in I_2	651
9.7	Vibrational wavepackets launched from a $v'' > 0$ initial state . . .	662
9.8	Femtosecond Transition State (FTS) spectroscopy of I_2	664
9.9	The radial probability distribution of an $n \approx 30$ wavepacket in a hydrogen atom	668
9.10	Level anticrossings between states with complex energies in the strong and weak coupling limits	682
9.11	Comparison of survival probability to the resonance energy . . .	699
9.12	Contributions of DD1 and 3,245 to the transfer rate and accumulated population in mode 4 of HCCH	701
9.13	Phase space trajectories and polyad phase spheres for polyad $N = 3$ of H_2O	721
9.14	Nested invariant tori and a surface of section	722

9.15	Evolution of the polyad phase sphere from the local mode to the normal mode limit	725
9.16	Polyads $N = 1$ through $N = 5$ for H_2O	726
9.17	The probability densities, $ \psi ^2$, in the top row are found to resemble the configuration space trajectories in the bottom row . .	726
9.18	Surfaces of section for the HCCH $[N_b, l] = [4, 0]$ and $[8, 0]$ polyads	730
9.19	Overview of the phase space and configuration space dynamics associated with the HCCH $[N_b = 22, l = 0]$ polyad	731
9.20	The <i>cis</i> -bend and <i>trans</i> -bend normal mode frequencies of HCCH tune into resonance at $N_b \approx 10$	732