

Index

- A_D or A_J , 337
- a_+ and I-uncoupling matrix element, 267
- a_+ spin-orbit matrix element, 267
- a_λ
 - quantum defect, 128
- $\mathbf{a}^\dagger, \mathbf{a}$ creation, annihilation operators, 708
- Above Threshold Dissociation (ATD), 180
- absorption cross-section, 522
- absorption spectrum, 27, 627, 635
- accidental perturbation
 - interloper in Rydberg series, 685
- accidental predissociation, 671, 674
- acetylene
 - chaos, 731
 - local \leftrightarrow normal benders, 727
 - phase space structure, 730
 - surface of section, 730, 731
 - polyads, 730
 - quasiperiodic trajectory, 731
 - resonance between
 - cis*- and *trans*-bend, 732
- adiabatic curves, 94, 168, 173
- adiabaticity parameter, 177
 - in H_2 , 171
 - in N_2 , 171
 - in N_2^+ , 171
 - in O_2 , 171
 - in SiO , 171
- Airy function, 281
- algebraic solutions
 - secular equations, 243, 247
- alignment of the photofragment, 491
- alkaline earth monohalides, 332
- angular momentum, 61, 72
 - electron spin, $\vec{\mathbf{S}}$, 72
 - electronic orbital, $\vec{\mathbf{L}}$, 72
 - ion-core, $\vec{\mathbf{N}}^+$, 72
 - matrix elements, 73
 - nuclear framework, $\vec{\mathbf{R}}$, 72, 79
 - operators, 72
 - projection, Ω , 73
 - total electronic, $\vec{\mathbf{J}}_a$, 72, 79
 - total exclusive of spin, $\vec{\mathbf{N}}$, 72
 - total, $\vec{\mathbf{J}}$, 70, 72, 96
 - transfer, 596
- anharmonic coupling
 - Darling-Dennison, 698, 714
 - Fermi resonance, 689
 - harmonic oscillator scaling, 689
 - matrix elements, 688, 691
- anharmonic resonances, 698
- anions, 39, 553
- anticrossings, 681
- ArH
 - f*-complex in, 402
- AsN
 - spin-orbit constant in, 321
- Aston mass units, 285
- asymmetry parameters, 487, 602
 - HBr, 491
 - HI, 491
- atomic spin-spin parameter, 324
- attosecond (as), 498
- autocorrelation function, 624, 630,
 - 633, 634, 636, 637
 - envelope of $I(\omega)$, 628
 - Fourier Transform of, 626, 627
 - frequency domain spectrum, 626
 - photon pluck, 627
 - recurrences, 628
 - spectrum, $I(\omega)$, 628

- autoionization, 671, 674
 cross-section, 588
 electrostatic, 586
 in H₂, 565, 572, 573, 578, 598
 in HBr, 603
 in HF, 580
 in HI, 578, 584
 level shifts, 588
 in Li₂, 565, 580
 in N₂, 567, 573, 578, 580, 587, 588
 in NO, 578, 580
 in NO⁺, 573
 in O₂⁺, 581
 in O₂, 314, 598
 rotational, 572
 spin-orbit, 581
 vibrational, 576
- autoionization and predissociation
 competition between, 604
 in H₂, 604, 607
 in HCl, 604
 in NO, 609
- axial recoil approximation, 490
- axis systems, 72, 83
- b*, orbital perturbation matrix element, 327
 I-uncoupling matrix element, 267
- BaF
 Rydberg supercomplex in, 127
- ball-and-spring motions, 627, 633
- band intensity anomalies, 380
- bandhead
 BaO, 9
- BaO
 bandhead, 9
 electronically inelastic collision in, 447
 intensity anomalies in, 35, 395
 MODR in, 438
 Optical Optical Double Resonance (OODR) in, 416
 perturbations in, 296
 Stark quantum-beats (SQB) in, 433, 434
- BaS
 perturbation parameters, 305
 perturbations in A¹Σ⁺ state, 302
 potential energy curve, 303
- basis sets
 choice of, 683
 coupled, 105, 106
 normal↔local mode, 710, 712
 transformation
 a[†], **a**, 710
 uncoupled, 105, 106
 unitary transformation, 106
- Beer-Lambert law, 354
- BeF, 332
- BeH
 electrostatic parameter in, 313
 predissociation in, 501
- Berry's propensity rule, 580
- Beutler-Fano formula, 588
- Beutler-Fano lineshape, 386
- bifurcations, 729
- biorthogonal, 673, 674, 676
- Bohr magneton, 429
- bond-softening, 179
- Born-Oppenheimer approximation,
 66, 113
 clamped nuclei, 128
 potential curve, 113
 principal quantum number, 128
 terms neglected, 92
- Born-Oppenheimer product function,
 90
- Br₂
 predissociation in, 522, 544
- branching diagram, 150
- branching ratios, 485
- bright state, 624, 626, 638, 643, 646,
 658, 671, 681, 733, 734
- bulk polarization, 643
- C₂
 perturbations between X¹Σ_g⁺ and
 b³Σ_g⁻ states, 340
- CaO
 electronically inelastic collision
 in, 450

- perturbations in, 296
 - cause of dynamics
 - intrapolyad, 694
- Cavity Ringdown Spectroscopy (CRDS), 28
- center of gravity rule, 246
- center of the wavepacket, 645
- centrifugal distortion terms, 242
- centrifugal distortion, D_e
 - Kratzer, 286
- CH
 - collision induced transition in, 453
 - Λ -doubling in, 227
 - potential energy curves, 518
 - predissociation in, 497, 499, 517
 - Rydbergization in, 311
- CH⁺
 - forbidden transition in, 414
- CH₂
 - collision effect in, 454
- chirped pulse, 661
 - negatively, 661
- circular dichroism (CDAD), 600
- Cl₂
 - potential energy curves, 480
- classical chaos, 717
 - onset, 729
- classical dynamics, 721
- classical mechanics, 703
 - actions, conserved, 728
 - angles, conserved, 728
 - coupled identical oscillators, 703
 - Poisson bracket, 718
 - polyad \mathcal{H}^{eff} model, 716, 728
- Clebsch-Gordan coefficients
 - case (b)→(d), 120
- CN
 - anticrossing or level crossing, 418, 419, 428
 - collision induced transition in, 445, 449, 452
 - perturbed radiative lifetime in, 372
 - relaxation in matrix, 459
- Stark quantum-beat (SQB) in, 436
- Zeeman effect in, 422, 428
- CO
 - accidental predissociation, 542
 - anticrossing in Zeeman effect in, 418
 - atomic populations in, 322
 - B¹Σ⁺–X¹Σ⁺, 64
 - Cameron system, 340
 - collision induced transition in, 449
 - electronically inelastic collision in, 447
 - electrostatic parameter in, 313
 - forbidden transition in, 409
 - isotope effect in, 528
 - nonexponential decay in, 370
 - perturbations in, 216, 296, 341
 - perturbed radiative lifetime in, 371, 373
 - photoionization spectrum of, 599
 - potential energy curves of, 217
 - predissociation in, 266, 501, 542
 - shape resonances in, 561
 - spin interactions in, 323
 - spin-orbit constant in, 321
 - spin-orbit perturbation parameter, 325, 327
 - transfer rate in, 452
- CO⁺
 - collision induced transitions in, 449
- CO₂
 - Rydberg states in Hund's case (e), 125
 - three-photon transition, 368
- coherence
 - creation, 639
 - destruction, 639, 641, 652
 - detection, 639
- coherent control
 - in HI, 613
 - on Na₂, 609
 - photofragmentation product branching ratios, 609

- coherent superposition state, 430, 635,
659, 679, 680
 motion, 635
- coincidence experiments, 39, 46
- collision effect
 doorway or gateway, 445
 electronic transition, 447
 in CH₂, 454
 in CN, 445
 in N₂⁺, 445
 lifetime, 445
- collision induced transition
 in CH, 453
 in CN, 445, 449, 452
 in CO, 449
 in CO⁺, 449
 in I₂, 450
 in Li₂, 450
 in N₂⁺, 450, 452
 in N₂, 448, 449
 in Na₂, 449
 in NH, 448
 in SiF, 450
 propensity rule, 454
- collisions between molecules
 CaO+N₂O, 452
- combination differences, 12, 25
- complementary states, 312
- complete experiment, 600
- complex energy formalism, 656, 672
- complex \mathbf{H}^{eff} formalism, 639, 672,
680, 683
 biorthogonal, 673, 674
 bright state, 680, 681
 completeness, 673, 674
 Fermi Golden Rule, 683
 orthonormal, 674
 strong coupling limit, 680
 weak coupling limit, 680
 WKB barrier penetration, 683
- Condon and Shortley phase conven-
 tion, 74, 143
 matrix elements, 142
 σ_v on $|\lambda\rangle$, 142
- Condon reflection approximation, 480
- configuration
 interaction, 340, 530
- configuration (electronic), 149
 π^2 , 160, 188, 197
 $\pi^3\pi'$, 201
 $\sigma\pi^3$, 198
- configuration space
 trajectories
 relationship to probability den-
 sity, 726
- conical intersection, 735
- contact transformation, 709
- continuum function, 505
 energy-normalized, 506
- continuum~continuum interaction,
538, 601
- control
 chirped pulse, 655, 656
 crafted pulse, 655
 learning algorithm, 656
 target state, 698
- Cooper minima, 561
 in HI, 563
 in NH, 564
 in OH, 564
- coordinate and momentum operators
 dimensionless $\hat{\mathbf{Q}}$ and $\hat{\mathbf{P}}$, 690
 equation of motion
 of \mathbf{Q} and \mathbf{P} , 700
- coordinate system
 electronic, 192
 inversion, \mathbf{I} or \mathbf{E}^* , 139
 laboratory fixed, 139
 nuclear, 83
- Coriolis perturbations, 98
- correlation diagram
 between case (a) and case (c),
 189
- correlation effect of an electric field,
336
- correlation matrix, 250
- correlations between parameters, 255
- Correspondence Principle, 717, 718
 $\mathbf{H}^{\text{eff}} \leftrightarrow \mathcal{H}^{\text{eff}}$, 716
 Heisenberg, 716
- Coulomb Explosion, 41
- Coulomb function, 590

- Coulomb integrals, 155
 coupled equations, 264, 535, 537
 in H_2^+ , 266
 in N_2 , 265
 coupling
 (J_1, J_2) , 473
 kinetic energy, 705, 714
 potential energy, 705, 714
 creation, annihilation operators
 2-D isotropic oscillator, 727
 $\mathbf{a}^\dagger, \mathbf{a}$, 690, 708
 $\mathbf{a}_d^\dagger, \mathbf{a}_d, \mathbf{a}_g^\dagger, \mathbf{a}_g$, 727
 Heisenberg quantum \rightarrow classical,
 727
 number operators, 727
 CRIES (Cross-Correlation Ionization
 Energy Spectroscopy), 19
 CrN
 spin-orbit constant, 322
 cross section
 in absorption, 351, 356
 in autoionization, 588
 in dissociation, 522
 CS
 forbidden transitions in, 409, 412
 MODR in, 437
 MOMRIE in, 437
 spin-orbit constant in, 321
 spin-orbit perturbation matrix
 element in, 327
 CS^+ , 244
 Λ -doubling in $\text{A}^2\Pi_i$ state of, 215
 spin-orbit perturbation matrix
 element in, 327
 Cs_2
 predissociation, 521
 q reversal in, 525
 CS_2
 Rydberg states in Hund's case
 (e), 125
 CSe
 spin-orbit constant in, 321
 CTe
 spin-orbit constant in, 321
 CuO
 $^2\Sigma - \text{X}^2\Pi$ transition in, 404
 D_e and D_v , rotational constant, 242,
 286
 $^2\Delta$ states, 183
 dark state, 624, 638, 643, 646, 658,
 671, 681, 733
 Debye, 350, 479
 decay
 irreversible, 624
 δ -function
 integral definition, 629
 $^3\Delta$ states
 spin-orbit constant of $\pi^3\pi'$ con-
 figuration, 202, 321
 density matrix, ρ , 635, 647, 667
 coherences, ρ_{ij} , 639, 647
 detection, \mathbf{D} , 639
 equations of motion, 647
 evolution, \mathbf{H} , 639
 excitation, \mathbf{E} , 639
 populations, ρ_{ii} , 639, 647
 deperturbation, 684
 local perturber, 684
 NO $^2\Pi$, 262
 remote perturber, 684
 deperturbation at high pressure and
 in matrices, 455
 dephasing, 624
 detection operator, \mathbf{D} , 643
 diabatic curves, 93, 163
 differential oscillator strength, 506
 in O_2 , 507
 dimensionality reduction, 686, 717
 dimensionless $\hat{\mathbf{Q}}$ and $\hat{\mathbf{P}}$, 690
 dipole moment, 214
 Dirac delta function, 627
 direct approach, 259
 direct dissociation, 471
 direction cosine
 matrix, 82
 matrix elements, 75, 391, 667
 discrete variable representation (DVR),
 291
 method, 266
 Dispersed Fluorescence (DF), 25, 34,
 635
 I_2 , 47

- dissociation
 in HBr^+ , 472
 in HCl , 473
 in HX , 475
 limiting curve, 516
dissociation energy, D^e , 285
dissociative photoionization, 470
doorway state, 9, *see also* gateway state, 445, 624, 646, 671, 681, 734
 mediated ISC, 734
 nonradiative decay, 681
Doppler broadening, 352
Doppler width, 503
dressed \mathbf{H}^{eff} , 685
 prediagonalization, 685
 radiation field, 685
 Van Vleck transformation, 685
Dunham expansion, 236
dynamical Hund's cases, 136
dynamical quantities
 autocorrelation function, 635
 coherent superposition state, 635
 density matrix, 635
 expectation values of, 635
 coordinates and momenta, 635
 number operator, 635
 probability density, 635
 resonance operator, 635
 survival probability, 635
 transfer probability, 635
dynamics
 Bixon-Jortner, 733
 cause of, 647, 697
 in coordinate/momentum space, 637
 early time, 646, 672
 localized, 646
 reduced-dimension, 685
 resonance operator, 697
 in state space, 637, 689
 tier models, 672
 visualization, 685, 697
early time dynamics
 near resonant coupling, 733
early time information, 627
 e/f symmetry, 139
 case (a) basis states, 144
 labels for $^3\Sigma^+$ and $^1\Pi$, 146
effective and true parameters, 261
effective molecular constants, 234
Ehrenfest's theorem, 644, 645, 718
eigenfunctions of \mathbf{S}^2 , 151
Einstein coefficient, 659
 stimulated emission/absorption, B_{ij} , 350
electric field in ZEKE experiment, 594
electronic coordinate system, 192
electronic wavefunctions, 148
 matrix elements between, 156
electronically inelastic collision
 in BaO , 447
 in CaO , 450
 in CO , 447
electrostatic interaction, *see* perturbation, electrostatic
electrostatic parameter
 in BeH , 313
 in CO , 313
 in N_2 , 313
 in NO , 313, 314
 in O_2 , 313
 in PO , 313
emission spectra, 33
emission windows, 576, 588
energy flow, 648
 bright state \leftrightarrow quasicontinuum, 688
energy level diagram
 $^2\Pi$, 585
energy normalization, 505
energy rank, 256
equation of motion, 631, 646, 693
 of expectation values, 646
 Hamilton's, 718
 Newton's, 718
 of \mathbf{Q} and \mathbf{P} , 700
 of resonance operators, 646
étalon, 43
Euler angles, 81
evolution operator, 643

- exchange integrals, 155
excitation operator, 643
expectation value, 693
 of coordinates and momenta, 636
 equation of motion, 138, 647
 of operator, 647
 trace with ρ , 647
eXtended spectral Cross-Correlation (XCC), 19
extra lines, 246, 370, 374
eXtreme UltraViolet (XUV), 26
- f*-complex
 l_R , 402
 in ArH, 402
 in KrH, 402
 in MnH, 392
 in NO, 392
- F, G** matrix methods of Wilson, 688, 690, 703
- F_i spin-component
 convention, 131, 140
- Fano lineshape, 522, 588
 in H_2 , 524, 525
 in NO, 524
 in O_2 , 524
 parameter, q , 525
 in autoionization, 588
 in predissociation, 386, 522
 q reversal, 525, 526
- Femtosecond Transition State (FTS) spectroscopy, 665
- Fermi's Golden Rule formula, 535, 539, 569, 659, 681, 733, 735
- Fermi-Wentzel Golden Rule, 507
- Feschbach resonance, 493
- figure of merit, 258
- fine-structure constant
 α , 181
- fit model, \mathbf{H}^{eff} , 717
 $\mathbf{H}^{\text{eff}} \rightarrow \mathcal{H}^{\text{eff}}$, 717
- fluorescence decay, non-exponential, 370
- fluorescence polarization, *see* polarization of fluorescence
 in N_2^+ , 601
 in O_2^+ , 601
- fluorescence quantum yield, 28, 496
- forbidden transition, 406
 $^1\Sigma^+ - ^3\Sigma^-$
 in CH^+ , 414
 in CO, 409
 in CS, 409, 412
 in NCl, 412
 in NF, 412
 in NH, 412
 in NO^+ , 414
 in PF, 412
 in PH, 412
 in SO, 412
 intensity borrowing, 368, 414
- Fortrat parabola, 6
- four-wave-mixing, 51
- Fourier transform, 44
 autocorrelation function, 632
- Fourier Transform spectrum, 44
 I_2 , 20, 21
 Spectrometer (FTS), 33, 649
- fractional dynamical importance, 649
- fractionation
 approach to Lorentzian, 659
 of bright state, 659
- frame transformation, 590
- Franck-Condon
 active normal modes, 633, 734
 bright state, 734
 energy gap rule, 734
 factor, 353, 629
 differential, 509
 pluck, 661
 point, 625, 651
 principle, 626
 classical, 633, 665, 667
 region, 651
 stationary phase, 663
- frequency calibration, 43
- frequency domain, 683
- frequency generation, 50
- Frequency Modulation Spectroscopy (FMS), 28
- FWHM, full width at half maximum, 498

- g_J -values, 426
gateway state, *see* doorway state
Gauss-Newton method, 254
Gaussian lineshape, 351
Gaussian wavepacket, 665
 distortion, 665
 equation of motion, 631
 vibrational, 631
GeO
 spin-orbit constant in, 321
GeS
 spin-orbit constant in, 321
global perturbation
 polyad, 685
 scaling, 685
golden rule formula, 535, 539, 569,
 659, 681, 733, 735
good quantum numbers, 71, 112, 256
gradient of the potential, 635
 Fourier transform
 of spectrum, 633
grand rephasing, 654, 670
graphical methods for deperturba-
 tion, 243
- \mathcal{H}
 action-angle representation, 717
- H**
 dimensionality reduction, 717
 exact \rightarrow \mathbf{H}^{eff} fit model, 717
 rotational part, 96
H vs. \mathbf{H}^{eff}
 Van Vleck transformation, 623
 $\mathcal{H}_{\text{LOCAL}}$, 719
 $\mathcal{H}_{\text{NORMAL}}$, 720
 H_2^+
 coupled equations, 266
 potential energy curves of, 179,
 180
 H_2
 adiabatic parameter, 171
 anticrossing in, 428
 asymmetry parameter, 597
 autoionization in, 565, 573, 578,
 598
 competition between autoioniza-
 tion and predissociation in,
 604, 607
 Fano lineshape in, 524, 525
 MOMRIE in, 436
 nonadiabatic calculations, 236
 perturbations in ($^1\Pi_u$), 173
 photoelectron spectrum of, 555
 potential energy curves in, 173,
 524
 predissociation in, 499–501, 523
 $^1\Sigma_g^+$ perturbations, 265, 266
 $X^1\Sigma_g^+$ state, 236
- Hamiltonian
 $^3\Pi$ state, 242
 complex formalism, 734
 effective, 69, 84, 237, 255, 261
 exact, 70, 71
 microscopic, 69, 83, 84
 molecular, 66
 neglected terms, 67
 rotational operator, 79
 spin-orbit, 94, 181
 spin-spin, 94
- Harmonic Generation, 49
harmonic oscillator
 two-dimensional isotropic, 727
- HBr
 absorption spectrum, 586
 asymmetry parameter in, 491
 autoionization in, 603
 photofragment branching ratios
 in, 484
 Rydberg states in Hund's case
 (e), 125
 spin-polarization in, 603
- HBr^+
 dissociation in, 472
 photodissociation in, 477
 predissociation in, 501, 520, 530
- HCl
 competition between autoioniza-
 tion and predissociation, 604
 dissociation in, 473
 lifetime in, 585
 photoelectron spectrum of, 553

- potential energy curves, 606
 Rydberg states in Hund's case
 (e), 125
 Rydbergization in, 312
 Zero Electron Kinetic Energy
 (ZEKE) in, 593, 594
HCl⁺, 332
HCP
 anticrossing in, 418
H^{eff}, 623, 648, 702
 complex energy, 672
 harmonic oscillator Hamiltonian,
 690
H^{eff} → H^{eff}, 717, 718
H^{eff}_{LOCAL}, 706, 708
 standard spectroscopic, 715
H^{eff}_{NORMAL}
 standard spectroscopic, 715
 Heisenberg Correspondence Principle, 716
HeKr⁺, 100, 136
H^{el}
 case (d)
 non-spherical, 122
 spherical (atom-like), 122
H^{el(0)} spherical term, 127
H^{el(1)} nonspherical term, 127,
 129
 case (b)→(d), 129
 cases (d), (e), 127
 exchange splitting, 129
 non-diagonal in N^+ , 127
 nondiagonal in case (c), 129
 opposed by **I**-uncoupling term,
 129
 transformation case (b)→(d), 121
 Hellmann-Feynman theorem, 252, 254,
 425
 Hermitian operator, 648
HF
 autoionization in, 580
HI
 asymmetry parameter in, 491
 autoionization in, 578, 584
 coherent control in, 613
 Cooper minima in, 563
 photodissociation in, 483
 photofragment branching ratios
 in, 484
 potential energy curves, 483, 613
 predissociation in, 530
 Rydberg states in Hund's case
 (e), 125
H^{ROT}
 case (a), 107
 $E_{(a)}^{\text{ROT}}(J)$, 107, 114
 case (b), 108
 $E_{(b)}^{\text{ROT}}(N)$, 108, 114
 case (c), 108
 $E_{(c)}^{\text{ROT}}(J)$, 108
 case (d), 109, 121
 $E_{(d)}^{\text{ROT}}(N)$, 109, 121
 $E_{(d)}^{\text{ROT}}(N^+)$, 109
 case (e), 109
 $E_{(e)}^{\text{ROT}}(N^+)$, 110
 pattern destroying term: **H^{el}**,
 121
H^{SO}
 in case (b), 117
 in case (a), 116
 selection rules for matrix ele-
 ments, 182
H^{SR}, 114
H^{SS}
 in case (b), 116
 Hund's case, 667, 671
 case (a) basis states, 696
 rotational selection rules, 703
 Hund's case (a), 103, 113
 Hund's case (b), 103, 114, 441
 Hund's case (c), 103, 123
 H⁽⁰⁾, 123
 J_a-uncoupling, 124
 Hund's case (d), 103, 104, 117, 126,
 441
 (a^+ , d) and (b^+ , d)
 good quantum numbers, 119,
 120
 H^{el}, 122
 H^{ROT}
 high- N limit, 123

- pattern destroying term, 123
 - pattern forming quantum number, 123
 - $\vec{\mathbf{R}}$ -axis form, 123
 - z-axis form, 123
 - \mathbf{H}^{SO} , 122, 123
 - \mathbf{H}^{SR} , 122
 - N^+ -multiplet, 122
 - Hund's case (e), 100, 103, 104, 125, 474, 583
 - case (a^+ , e), 125
 - case (b^+ , e), 125
 - case (c) \leftrightarrow case (e), 125
 - $\mathbf{H}^{(0)}$, 125
 - \mathbf{j} -uncoupling, 125
 - $^2\Pi$ ion core, 125
 - Hund's cases, 101
 - (a), (b), (c) vs. (d), (e), 113
 - approximate constants of motion, 101
 - case (a), 112
 - $E_{(a)}^{\text{ROT}}(J)$, 107, 114, 115
 - \mathbf{H}^{SO} , 116
 - case (b), 112
 - \mathbf{H}^{SO} , 117
 - $E_{(b)}^{\text{ROT}}(N)$, 108, 114
 - \mathbf{H}^{SR} , 114
 - \mathbf{H}^{SS} , 116
 - case (b) \rightarrow case (d) level pattern, 119
 - case (c), 112
 - case (d), 112, 119
 - good quantum numbers, 119
 - case (e), 112
 - choice of basis set, 101
 - dynamical, 136
 - ion, Rydberg e^- , 136
 - photofragment angular momenta, 136
 - separated atom, 136
 - good quantum number, 112
 - \mathbf{H}^{el} : non-diagonal in N^+
 - in cases (d), (e), 127
 - $\mathbf{H}^{\text{el}(0)}$ spherical term, 127
 - $\mathbf{H}^{\text{el}(1)}$ non-spherical term, 127
 - hierarchy
 - of \mathbf{H}^{el} , \mathbf{H}^{SO} , \mathbf{H}^{ROT} , 99, 137
 - intermediate, 126
 - between (a) and (d), 127
 - ion-core, Rydberg e^- , 104
 - l -uncoupling vs. l -mixing, 127
 - \mathbf{H}^{eff} , 127
 - level pattern, 113
 - case (a), 113
 - mixed- l supercomplexes, 127
 - BaF $s\sim p\sim d$, 127
 - NO $s\sim d$, 127
 - Nikitin and Zare, 99, 100
 - $\vec{\mathbf{J}}$ -axis, 100
 - molecule frame projection quantum numbers, 100
 - z-axis, 100
 - pattern-destroying term
 - case (a), 115
 - case (b), 116
 - pattern-preserving term
 - case (a), 115
 - patterns in a spectrum, 101
 - traditional, 111, 112
 - case (a), 112
 - case (b), 112
 - case (c), 112
 - case (d), 112
 - case (e), 112
 - transformations between, 130
 - vector precession, 99, 101
 - Watson, 101
 - coupling sub-cases, 101
 - ion-core, Rydberg e^- , 101
 - $\vec{\mathbf{R}}$ -axis, 101
 - z-axis, 101
 - zero-order pattern, 102
 - pattern-forming rotational quantum number, 115
 - hydrogenic wavefunction, 570
 - Hönl-London factor, 353
- I_2
- anticrossing in, 427
 - collision induced transition in, 450

- Dispersed Fluorescence (DF), 47
 Fourier Transform spectrum, 20, 21
 lifetime in
 Zeeman effect in, 426
 predissociation in, 500, 519, 521
 Zeeman effect
 anticrossing in, 427
 lifetime in, 426
 Zero Electron Kinetic Energy (ZEKE) spectrum of, 595
- ICI
 predissociation in, 499
- initial localization
 on a chromophore, 733
- intensity, 348, *see also* transition moment
 anomalies, 380, 386, 404
 in BaO, 35, 395
 in N₂, 395
 in Rb₂, 412
 in Se₂, 395
 borrowing, 370
 rotational, 386
- Inter-System Crossing (ISC), 658, 681, 688, 733
 in NO a⁴Π → B²Π, 460
- interaction matrix
²Π(π) ~ ²Σ⁺(σ), 219
²Π(σ²π) ~ (σπ²), 331
- interactions
 between *g* and *u* states, 99
- interference effect, 363, 378
- Internal Conversion (IC), 658, 681, 688, 733, 734
 conical intersection, 735
 electrostatic coupling, 734
 nuclear kinetic energy coupling, 734
 promoting mode, 735
- intramolecular dynamics
 control, 655
- Intramolecular Vibrational Redistribution (IVR), 649, 658, 674, 681, 688, 733, 735
 bifurcation, 736
 bright state, 735
 dark state, 735
 doorway state, 735
 strong and weak coupling limits, 735
 tiers, 735
 inverse perturbation approach (IPA), 289
- ion
 doubly charged, 34
 ion spectroscopy, 28
 ionization efficiency, 479
 isotope effect
 in CO, 528
 in N₂⁺, 528
- JWKB approximation, 512
 JWKB wavefunction, 279
- K₂
 predissociation in, 499
- Kepler
 orbits, 669
 period, 669, 670
- Ketene, 40
- Kratzer relation, 66, 286
- KrH
f-complex in, 402
- l*-complex, 128
l-mixing, 214, 400, 559, 594
 by magnetic field, 444
l_R (or *L*) quantum number, 105, 120
 useful label vs. good quantum number, 105, 106
- L**⁺ operator, 325
- Λ-doubling
 in CH, 227
 in CS⁺ A²Π_{*i*} state, 215
 in Δ state, 214
 in OH, 227
 parameter
 o, 243, 328
 p, 243, 328
 q, 243, 328
 in ¹Π₁ state, 214

- in $^2\Pi$ state, 214, 243, 328
- in SH, 227
- in SiH, 332
- L**-uncoupling operator, 116, 213
- l**-uncoupling matrix element
 - b , 267
- Landau-Zener parameter, 536
- Landé electronic factor, 181
- Laser Induced Fluorescence (LIF), 27
- least-squares fitting, 237, 248
 - procedure for coupled-equations, 265
- Legendre polynomial, 487
- level anticrossing
 - quantum beats, 682
 - strong vs. weak coupling, 682
- level shift, 244
 - in autoionization, 588
 - in predissociation, 504, 510, 513
 - in perturbations, 296
- Li₂**
 - collision induced transition in, 450
 - linewidth in, 535
 - predissociation in, 500
- lifetime, 495
 - in HCl, 585
 - radiative, 659
- LiH**
 - predissociation in, 510
 - Stark quantum-beat (SQB) in, 433
- limiting case
 - destruction, 709
 - preservation, 709
- line profile, q , 588, 606
- line strength, 353
- lineshape, *see* Fano lineshape
- linewidth, 68, 503, 564
 - in **Li₂**, 535
 - in **O₂**, 515
 - in **OD**, 515
 - in **OH**, 527
 - relation with band contour, 566
 - variation, 516
- localized state, 623, 624
 - bright state, 626
 - early time evolution, 630
 - photon-pluck, 626
 - short pulse, 626
 - $\Psi(0)$, 626
- Loomis-Wood plot, 15, 44
- Lorentzian function, 351
- Magnetic Rotation Spectroscopy (MRS), 28
 - spectrum of **Na₂**, 418
- Mass Analyzed Threshold Ionization (MATI), 31
- matrix
 - of a $^2\Pi$ state, 252
- matrix effects, 458
 - in **O₂**, 458
 - in **N₂**, 456
 - in **NO**, 455
 - relaxation, **CN**, 459
- matrix element method, 293
- measurement
 - destruction of coherence, 652
 - measurement of lifetimes, 496
 - measurement of linewidths, 498
- mechanism, 623, 624, 633, 646–648, 655, 671, 681, 733, 735
 - cause of bifurcation, 732
- Megabarn (Mb), 479, 554
- Megahertz (MHz), 521
- metastable states, 341
- method of merging, 259
- method of steepest descents, 254
- MgO**
 - perturbations in, 341
- mixing coefficient, 235, 268, 271, 374
- MnH**, 392
- MODR**
 - in **BaO**, 438
 - in **CS**, 437
 - in **NO₂**, 438
- Modulated Population Spectroscopy (MPS), 19, 35
- molecular field anisotropy, 113

- cases (a), (b), (c) vs. (d), (e), 113
- molecular orbitals, 148
- molecular spin-orbit constants, 318
- molecular vs. optical phase, 652
- molecule sources, 41
- MOMRIE, 436
 - in CS, 437
 - in H₂, 436
- MOPS, 438
- Morse oscillator, 705, 706, 714
 - $E(v)$, 706
 - via perturbation theory, 706
 - two coupled
 - local stretch oscillator, 706
 - $V(r)$, 705
- μ
 - reduced mass, 89
- Multi-Photon Ionization (MPI), 29, 269
- Multichannel Quantum Defect Theory (MQDT), 113, 236, 265, 267, 313, 444, 579, 590, 608
 - Born-Oppenheimer region, 113
 - calculations, 586
- multiphoton transition, 355
- multiplet state
 - S-uncoupling dynamics, 695
 - case (a) \leftrightarrow (b), 695
- mutually commuting operators, 104, 111
 - restrictions on basis sets, 104, 105
- N₂⁺
 - adiabatic parameter, 171
 - anticrossing in, 418
 - collision effect in, 445
 - collision induced transition in, 450, 452
 - fluorescence polarization in, 601
 - isotope effect in, 528
 - perturbed intensities in, 372
 - perturbed radiative lifetimes in, 372
 - potential energy curves, 532
 - predissociation in, 499, 500, 531
 - spin-orbit constant in, 319
 - Zeeman effect
 - anticrossing in, 418
- N₂
 - adiabatic parameter, 171
 - autoionization in, 573, 578, 587, 588
 - collision induced transitions in, 448, 449
 - coupled equations in, 265
 - electrostatic parameter in, 313
 - electrostatic perturbations
 - in matrix, 456
 - in ¹Π_u states, 314, 384
 - in ¹Σ_u⁺ states, 162, 166, 384
 - valence~Rydberg, 162
 - intensity anomalies in, 395
 - p*-complex in, 400
 - perturbation in, 384
 - perturbed intensities in, 381
 - potential energy curves, 541
 - predissociation in, 499, 514, 519
 - Rydberg emission series in, 588
 - Rydberg state, 188
 - shape resonance in, 561
 - spin-orbit constant in, 319
 - vibrational branching ratio in photoionization, 563
- Na₂
 - coherent control in, 609
 - collision induced transition in, 449
 - Magnetic Rotation Spectrum (MRS) of, 418
 - perturbation facilitated OODR in, 439
 - predissociation tunneling barrier in, 521
- NaK
 - predissociation in, 542
- NBr
 - spin-spin constant in, 201
- NCCN
 - shape resonances in, 561
- NCl

- forbidden $^1\Sigma^+ - ^3\Sigma^-$ transition
in, 412
- Newton's equations, 644, 645
- NF
forbidden $^1\Sigma^+ - ^3\Sigma^-$ transition
in, 412
- NH
collision induced transition in,
448
Cooper minima in, 564
forbidden $^1\Sigma^+ - ^3\Sigma^-$ transition
in, 412
predissociation in, 500
Rydbergization in, 311
- NO
autoionization and predissocia-
tion, competition between,
609
autoionization in, 573, 578, 580
 $^2\Delta$ homogeneous perturbation
in, 167, 314, 382
electrostatic parameter in, 313,
314
f-complex in, 392
Fano lineshape in, 524
heterogeneous perturbation, 267
homogeneous perturbation, 236
in $^2\Pi$, 313
in $^2\Sigma^+$, 313
indirect mechanism in, 269
intensity anomalies in, 397
in matrix, 455
 $\pi^3\pi^{*2}$ configuration, 187
 $^2\Pi$ states in, 314
 $^2\Pi$ states in, 375
 $^2\Pi - ^4\Pi$ intersystem crossing mech-
anism in matrix, 460
 $^2\Pi \sim ^2\Delta$ perturbation, 269
perturbations, doublet~quartet
in, 341
photoelectron spectrum of, 556
 $^2\Pi$ autoionization and predissocia-
tion, competition be-
tween, 609
 $^2\Pi$ homogeneous perturbations,
262, 269, 376
potential energy curves in, 167,
376, 520
predissociation in, 501, 504, 519,
521
REMPI spectrum of, 600
Rydberg supercomplex in, 127
 $^2\Sigma^+$ homogeneous perturbations
in, 313
shape resonances in, 561
spin-orbit coupling constants in,
309
three-photon transitions in, 367
two-photon transitions in, 365
Zeeman effect in Rydberg states
in, 440
Zero Electron Kinetic Energy
(ZEKE) spectrum of, 558,
595
- NO^+
forbidden transition in, 414
spin-orbit, 339
- NO_2
MODR in, 438
nominal character, 67, 235, 257, 272
nonadiabatic calculations
for H_2^+ and H_2 , 236
nonadiabatic coupling term, 94
nonadiabatic functions, 235
noncommuting terms in \mathbf{H} , 137
expectation value, 138
equation of motion, 138
operator antagonism, 138
dynamics, 137, 138
pattern destroying, 137
pattern preserving, 137
- nonradiative decay, 659, 671, 688
Bixon-Jortner, 733
dephasing of bright state, 688
direct vs. doorway
mediated, 671
doorway mediated, 681
fractionation, 688
photofragmentation, 671
survival probability, 688
- nonstationary state, 623
normal matrix, 250, 255, 257

- normal mode limit
 destruction, 714
 driving force, 714
 preservation, 714
- normal mode of vibration, 633
 antisymmetric, 704
 Franck-Condon active, 633
 frequencies, 705
 nontotally symmetric, 633
 normal \leftrightarrow local transformation, 702, 712, 714
 symmetric, 704
- normal \leftrightarrow local mode \mathbf{H}^{eff}
 transformation, 702, 712, 714
- normalization factor
 of bound wavefunctions, 280
 of continuum wavefunctions, 506
- NS
 doublet \sim quartet perturbations
 in, 341
- NSe
 doublet \sim quartet perturbations
 in, 341
 perturbations in $X^2\Pi$ state, 213
- number operator, 691, 693
 $\mathbf{a}_i^\dagger \mathbf{a}_i$, 637
- numerical methods
 deperturbation, 375
- numerical solutions, 264
- Numerov-Cooley numerical integration, 291
- o* parameter, 243, 328
- O_2^+
 $^4\Pi$ state, spin-orbit, 186
 fluorescence polarization, 601
 potential energy curves, 531
 predissociation in, 499, 500, 505, 521, 530
 states of, 155
- O_2
 3-photon transition, 368
 adiabatic parameter, 171
 autoionization in, 581, 598
 β in, 598
- differential oscillator strength,
 507
- dissociation of, 474
- electrostatic parameter in, 313
- Fano lineshape, 524
- linewidth in, 515
- matrix effects in, 458
- predissociation in, 499, 501, 504, 510, 517, 520, 524, 525
- pure precession approximation
 in, 332
- $^3\Pi_u$ Rydberg state of, 186
- Rydberg states of, 156
- Rydbergization in, 311
- shape resonances in, 561
- spin-orbit constant in, 186, 319
- spin-rotation in, 193
- spin-spin constant in, 326
- Zero Electron Kinetic Energy (ZEKE) spectrum of, 557, 561
- OD
 linewidth, 515
 predissociation in, 528, 544
- off-diagonal anharmonic matrix elements, 691
- OH
 anticrossing in, 437
 Cooper minima, 564
 Λ -doubling in, 226, 227, 331
 photodissociation in, 481
 potential energy curves, 530
 predissociation in, 266, 498, 500, 501, 520, 521, 544
 Rydbergization in, 311
 shape resonances in, 561
 spin-orbit constant in, 335
 Zeeman effect, anticrossing in, 437
- one-photon transitions, 356
- open-core atom, 104
- Optical Optical Double Resonance (OODR), 25, 35, 416, 438
 in BaO, 416
- optical phase, 653, 654
- optical vs. molecular phase, 650

- Optically Pumped Laser (OPL), 53
orbital perturbation matrix element
b, 216, 222
- p*-complex, 399
N₂, 400
- ²Π states in NO, 314
- ¹Π
perturbation in, 384
- ¹Π states of SiO, 175
- ¹Π – ¹Σ⁺ transition, 394
- ²Π state, 184
Λ-doubling, 328
energy level diagram, 585
π configuration, 184
π³ configuration, 184
- ³Π state, 185
matrix elements, 242
spin-orbit, 185
spin-spin, 198
- ³Π– X¹Σ⁺ transition, 408
- ⁴Π state
spin-orbit, 185
- P₂⁺
spin-orbit constant in, 319
- P₂
second-order spin-orbit in, 202
spin-orbit constant in, 319
spin-spin constant in, 202
- parallel and perpendicular transitions,
386
- parameters correlated, 257
- parity, 138
case (a) basis states, 143
case (b⁺, d), 147
determined by *l*, 147
e/f basis states, 144
favored and unfavored transition, 596
of $|l, l_R\rangle$ states, 127
labels for ³Σ⁺ and ¹Π, 146
of levels, 70, 139
not affected by *S_R*, *l_R*, *s_R*, *j_R*,
147
- partition function
canonical, 639, 640
- partitioning method, 598
- pattern destroying quantum number
case (b), 120
- pattern destroying term: **H**^{el}, 121
- pattern forming quantum number
case (a), 117, 118
case (b), 117, 119, 120
reduced term value plot, 117
- patterns, 684
frequency domain, 684
pattern breaking, 684
time-domain, 684
- patterns in spectra, 137
approximate quantum numbers,
137
reduced term value plot, 137
- Pekeris relation, 66, 286
- perturbation, 62–66, 68, 83
between *g* and *u* states, 99
between Rydberg states, 175,
314
electrostatic, 98, 161
in N₂, 162, 166, 314, 384
in NO, 314
heterogeneous, 98
homogeneous, 98
in ²Δ NO, 167
in CO, 216
in H₂ (¹Π_{*u*}), 173
inhomogeneous, 732
L-uncoupling, 732
level shift, 296
model, 67
in N₂, 384
on lifetimes, 370
in ¹Π, 384
profound change in
dynamics, 732
spectrum, 732
by a ³Σ[−] state, 299
in ¹Σ_{*u*}⁺, 384
in SiS, 374
in the SiO A¹Π state, 296
spin-orbit, 734

- Perturbation Facilitated Optical Optical Double Resonance (PFOODR), 26, 35, 734
 in Na_2 , 439
 perturbation selection rule, 98, 145
 perturbation theory
 choice of basis set, 103
 convergence criterion, 102
 $\mathbf{H}=\mathbf{H}^{(0)}+\mathbf{H}^{(1)}$, 103
 Hund's cases (a)-(e), 103
 nondegenerate, 674, 717
 quasidegenerate, 675
 strong coupling limit, 677
 weak coupling limit, 677, 678
 perturbations
 electrostatic
 in N_2 $^1\Pi_u$, 384
 perturbed f -values, 377
 perturbed intensities
 in N_2 , 381
 perturbed radiative lifetime
 in CN, 372
 in CO, 371, 373
 in N_2^+ , 372
 PF
 forbidden $^1\Sigma^+ - ^3\Sigma^-$ transition
 in, 412
 PH
 forbidden $^1\Sigma^+ - ^3\Sigma^-$ transition
 in, 412
 phase convention, 143, 375
 summary, 143
 phase difference, 512
 phase factor
 in the rotational basis functions, 82
 in vibrational wave functions, 291
 phase lag, 612
 phase matching directions, 644
 phase shift, 590
 phase space, 716
 action/angle, 724
 bifurcations, 716
 chaotic, 716
 diagram, 723
 early time motion, 632
 fixed point
 resonance zone, 723, 724
 stable, 723, 724
 unstable, 723
 invariant tori, 722
 periodic orbit, 722, 723
 polyad, 723, 724
 quantum spectrum, 724
 regular, 716
 separatrix, 722
 structure, 721, 724, 729
 trajectories, 721, 722
 quasiperiodic, 722, 723
 Photo-Ion Photo-electron COincidence (PIPECO), 41
 photodissociation
 bond-softening, 179
 cross section, 478
 direct, 634
 in HBr, 479
 in HBr^+ , 477
 in HCl, 482
 in HI, 483
 ionization efficiency, 479
 in O_2 , 474
 in OH, 481
 population trapping, 179
 snapshots, 635
 photoelectron spectroscopy (PES), 552
 angular distribution, 595
 spectrum
 of HCl, 553, 607
 of H_2 , 555
 of NO, 556
 photofragment angular distribution, 486
 photofragment branching ratios
 in HBr, 484
 in HI, 484
 PHOfragment Fluorescence EXcitation (PHOFEX), 40
 photofragment imaging experiments, 484, 490
 photofragments, 635

- photoion alignment, 600
photoionization
 of CO, 599
 cross section, 554
photon pluck, 626, 632, 661, 684
 Hund's basis state, 102
photon vs. wave pictures, 643
 bullets, 643
 molecules as targets, 643
pluck, 624, 684
 post-pluck dynamics, 684
 Rydberg vs. Franck-Condon, 669
 wrong basis, 703
PN
 spin-orbit constant in, 321
PO
 electrostatic parameter in, 313
 perturbation between $^2\Pi$ states, 277
 perturbation between $^2\Sigma^+$ states, 313
 perturbations, Rydberg~Rydberg, 263
 spin-orbit constant, 309, 335
polarization of fluorescence, 492, 601
polyad, 655, 689
 \mathbf{H}^{eff}
 local mode, 702
 normal mode, 702
 scaling rules, 702
 stretch-bend, 696
 number, 689, 697
 phase sphere, 721
 for H_2O , 724
 quantum numbers, 698, 728
 scaling, 717
polyatomic molecules
 anharmonic coupling matrix elements, 687
 Morse oscillator, 687
 normal mode, 687
 vibrational basis set, 687
populations, 640
potential energy curves, 65, 66, 90
 adiabatic, 164
 of BaS, 303
 case (d) l -complex, 128
 of CH, 518
 of Cl_2 , 480
 of CO, 217
 diabatic, 164
 dressed, 177
 of H_2^+ , 179, 180
 of H_2 , 173, 524
 harmonic, 285
 of HCl, 606
 of HI, 483, 613
 Morse, 285
 of N_2^+ , 532
 of N_2 , 541
 of NO, 167, 376, 520
 of O_2^+ , 531
 of OH, 530
power broadening, 416, 438
predissociation, 61, 64, 68, 83, 84, 493, 519, 671
 accidental, *see also* indirect, 527
 in CO, 542
 in N_2 , 540
 in BeH, 501
 in Br_2 , 522, 544
 in CH, 497, 499, 517
 in CO, 266, 501
 in Cs_2 , 521
 electrostatic, 519
 energy shift, 507
 gyroscopic, 521
 in H_2 , 499–501, 523
 in HBr^+ , 501, 520, 530
 in HI, 530
 hyperfine, 521
 in I_2 , 500, 519, 521
 in ICl, 499
 indirect (accidental), 538
 intermediate coupling strength, 535
 in K_2 , 499
 in Li_2 , 500
 in LiH, 510
 level shift, 504, 510, 513
 Mulliken's classification, 514

- in N_2^+ , 499, 500, 531
- in N_2 , 499, 514, 519
- in NaK, 542
- in NH, 500
- in NO, 501, 504, 519–521
- nonadiabatic, 531
- nonradiative rate, 495
- in O_2^+ , 499, 500, 505, 521, 530
- in O_2 , 499, 501, 504, 510, 517, 520, 525
- in OD, 528, 544
- in OH, 266, 498, 500, 501, 520, 521, 544
- overlap factor, 510
- by rotation, 493
- radiative rate, 495
- resonance energy, 502
- resonant state, 493
- rotational, 521
- in Se_2 , 501, 502, 504, 520
- in SH, 530
- spin-orbit, 520, 528
- tunneling, 521
 - in Na_2 , 521
- principal part, 508, 523, 588
- probability
 - density, 635
 - squared sum vs. sum of squares, 652
- probe, 649
- promoting mode, 735
- Pulsed Field Ionization (PFI), 557
- pump, 649
- pump/probe
 - coordinate space, 654
 - one-color, 649, 651
 - phase coherent, 650, 654, 665
 - phase locked, 651
 - state space, 654
- pure precession, 104
 - approximation, 191, 267, 327
 - hypothesis, 226
- q reversal, 525, 526
- quadrupole field split, 670
- quantum beat, 639, 642, 656, 657, 679
 - decaying quasi-eigenstates, 679
 - exponential decay, 659
 - few level, 659
 - fluorescence intensity, 656
 - hyperfine, 657
 - in-phase, 643
 - many level, 659
 - modulation depth, 681
 - out-of-phase, 643
 - phase, 643
 - polarization, 656, 658
 - population, 658
 - pump/probe, 657
 - recurrences, 624
 - spatial angular distribution, 656
 - spectral distribution, 656
 - Stark, 657
 - survival probability, 659
 - wavepacket dynamics, 657
 - Zeeman, 657
- quantum chaos, 717
- quantum defect, 5, 136, 308, 574, 576, 590
 - a_λ , 128, 129
 - R -dependent, 128
- quantum number
 - good, 70
 - in Hund's cases, 112
 - ion-core rotation, N^+ , 103
 - ion-core total angular momentum, J^+ , 103
 - photofragments, 136
 - $\mathbf{\hat{R}}$ -axis projection, 104
 - S_R, l_R, s_R, j_R , 104
- quasi-continuum, 681, 683
- R -centroid approximation, 164, 349, 509
- R -dependence
 - of rotational perturbation parameters, 325
 - of the spin interaction parameters, 333

- R -dependent quantum defect, 128, 576
- ρ -doubling, 226
- Rabi frequency, 435
- radial stationary phase point, 669
- radiation sources, 47
- radiative lifetime, 68, 349, 659
- raising and lowering operators, 73
- Raman spectra, 632
- rate operator, 648
- Rb₂
intensity anomalies in, 412
- recurrence
first partial, 625
partial, 633
- reduced mass
 μ , 89
- reduced term value plot, 117, 137, 244
- reflection symmetry, σ_v , 70
- relativistic potential curves, 94
- remote perturber, 407
- renormalized Numerov method, 265
- rephasing
grand, 654, 657, 670
- resolution, 15, 565
- resonance, 564
- resonance energy, 649, 693, 698, 699
operator, 637, 646, 648, 649, 694, 695
fractional dynamical importance, 649
- Resonance Enhanced Multi-Photon Ionization (REMPI), 26, 29, 37, 45, 553
- resonance narrowing, 540
- reversed angular momentum, 74
- RFODR, 437
- RKR
not for polyatomic molecules, 687
- Rotational Coherence Spectroscopy (RCS), 657, 658
- rotational constant operator, 107
 B_v , 98
- rotational coordinates
conjugate momenta, 636
- rotational Hamiltonian (\mathbf{H}^{ROT}), 107
- rotational intensity anomalies, 386
- rotational perturbations, 92, 210, 325
- rotational quantum number
natural
case (a), 117–119
case (b), 117–119
- rotational wavefunction, 81, 142
- RuC, 7, 10
spin-orbit constant, 322
- Rydberg
vs. Franck-Condon wavepacket, 669
 n^{*-3} scaling, 669
pluck, 669
wavepacket, 669, 670
core-nonpenetrating, 669
core-penetrating, 669
effect of ion-core quadrupole, 670
grand rephasing, 670
precessional period, 670
stroboscopic effect, 670, 671
- Rydberg n^{-3} -scaling, 128
- Rydberg constant, 5, 308, 568
- Rydberg states, 61, 72, 308, 568
of N₂, 188
of O₂ ³ Π_u , 186
Zeeman effect, 439
of NO, 440
- Rydberg states in Hund's case (e)
CO₂, 125
CS₂, 125
Hbr, 125
HCl, 125
HI, 125
- Rydberg~Rydberg interactions, 174
- Rydberg-Klein-Rees (RKR) potential, 288
not for polyatomic molecules, 687
- Rydberg-Rydberg transitions, 402
- Rydbergization, 173, 560
in CH, 311
in HCl, 312

- in NH, 311
- in O₂, 311
- in OH, 311
- σ_v operator, 139, 159
 - A', A'' , 140
 - e/f symmetry, 139, 140
 - effect on case (a-e) basis states, 145
 - on $|\lambda\rangle$, 141
 - Condon and Shortley phase convention, 141
 - phase choice, 141
 - Σ^+ , Σ^- and 0^+ , 0^- , 139, 140
 - on total wavefunction, 143
 - total parity, 139, 140
 - laboratory inversion, **I** or **E***, 138
- $^1\Sigma^+ - ^1\Sigma^+$ system, 393
- $^1\Sigma_g^+$ states of H₂, 236
- $^1\Sigma_u^+$
 - perturbations in, 384
- $^2\Sigma - X^2\Pi$ transition
 - in CuO, 404
- $^2\Sigma \sim ^2\Pi$ interactions, 328
- $^3\Sigma^- - ^1\Sigma^+$ transitions, 397, 399, 412
- $^3\Sigma^-$ state, 399
- S**-uncoupling, 649
 - dynamics, 695
 - operator, 212
 - R -dependent, 212
- S₂
 - spin-orbit perturbation in, 341
 - spin-spin constants, 326
- Schrödinger equation
 - time-dependent, 177, 624, 672
 - time-independent, 625
- Se₂
 - intensity anomalies in, 395
 - predissociation in, 501, 502, 504, 520
 - spin-spin constants, 326
 - Zeeman effect in, 432
- Second Harmonic Generation (SHG), 49
- second order effects, 327, 328, 543
 - spin-orbit effects, 183, 196
 - spin-spin parameters, 323
- second order term (or correction), 240, 243, 262
- secular equation, 235, 262
- selection rules
 - for electric dipole transitions, 145
 - for perturbations, 145
 - for spin-orbit operator, 182
- Self-Consistent-Field (SCF) molecular orbitals, 320
- semiclassical
 - approach, 536
 - approximation, 511
 - in bound states, 279
- sensitivity, 27
- SeO
 - spin-spin constants, 326
- SeS
 - spin-spin constants, 326
- SH
 - Λ -doubling in, 227
 - predissociation in, 530
- shape resonances, 312, 559, 599
 - in CO, 561
 - in N₂, 561
 - in NCCN, 561
 - in NO, 561
 - in O₂, 561
 - in OH, 561
- short time dynamics
 - approximate quantum number, 655
- SiF
 - collision induced transition in, 450
- SiH
 - Λ -doubling in, 332
- SiO
 - A¹Π state, 244
 - adiabatic parameter, 171
 - H¹Σ state, perturbations in, 63
 - perturbations in ¹Π states, 175
 - perturbations in A¹Π state, 293, 298
 - spin-orbit constant in, 321

- spin-orbit perturbation matrix elements, 327
- SiS
 - perturbations in A¹Π state, 301, 374
 - spin-orbit constant in, 321
 - spin-orbit perturbation matrix elements, 327
- SiSe
 - spin-orbit constant in, 321
- SiTe
 - spin-orbit constant in, 321
- six (6-*j*) coefficients, 110, 111
 - intermediate angular momenta, 111
- SO
 - forbidden ¹Σ⁺ – ³Σ⁻ transition in, 412
 - spin-spin constants, 326
- spectroscopic studies
 - of molecular ions, 28
- spin eigenfunctions of S², 151
- spin interactions
 - in CO, 323
- spin-component, *F_i*
 - convention, 140
- spin-orbit
 - coupling constant *A*, 183
 - diagonal matrix elements, 184
 - effects, second-order, 199
 - isoconfigurational, 199
 - Inter-System Crossing (ISC), 658, 681, 688, 733
 - off-diagonal matrix elements, 187, 202
 - operator, 206
 - second-order
 - ππ' configuration, 201
 - π³π' configuration, 201
 - π³π'³ configuration, 201
 - in ³Δ state, 202
 - in P₂, 202
 - phase choice, 202
- spin-orbit constant
 - in AsN, 321
 - in CO, 321
 - in CrN, 322
 - in CS, 321
 - in CSe, 321
 - in CTe, 321
 - for σπ* configuration, 320
 - in GeO, 321
 - in GeS, 321
 - in N₂⁺, 319
 - in N₂, 319
 - in NO, 309
 - in NO⁺, 339
 - in O₂, 319
 - of atoms and ions, 316
 - in π*³π ³Δ states, 321
 - in P₂⁺, 319
 - in P₂, 319
 - in PN, 321
 - in PO, 309, 335
 - in RuC, 322
 - in SiO, 321
 - in SiS, 321
 - in SiSe, 321
 - in SiTe, 321
 - in TeH, 320
 - in VO, 185
- spin-orbit coupling constants
 - in NO, 309
 - of Rydberg states, 309
- spin-orbit perturbation matrix elements
 - in CO, 325, 327
 - in CS, 327
 - in CS⁺, 327
 - in SiO, 327
 - in SiS, 327
- spin-other-orbit interaction, 182
- spin-polarization, 602
 - in HBr, 603
- spin-rotation
 - ³Σ⁻ of O₂, 193
 - constant, 194, 330
 - operator, 191
- spin-rotation parameters
 - correlation between *A_D* and γ^π, 337
- spin-spin

- constant
 - α , 198
 - $^3\Delta$ configuration, 200
 - η , 324
 - λ , 197, 323
 - in NBr, 201
 - in P_2 , 202
 - $\pi\pi^*$ configuration, 200
 - π^2 configuration, 200
 - $\pi^3\pi^*$ configuration, 200
 - $\pi^3\pi^{*2}$ configuration, 200
 - $\pi^3\pi^{*3}$ configuration, 200
 - $\sigma\pi$ configuration, 200
 - $\sigma\pi^2$ configuration, 200
 - $\sigma\pi^3$ configuration, 200
- effects, second-order
 - λ^{SO} , 199
 - λ^{SS} , 199
 - λ_{eff} , 199
 - π^2 configuration, 201
- operator, 196
- second-order spin-orbit effects, 196
- spin-spin constants
 - in O_2 , 326
 - in S_2 , 326
 - in Se_2 , 326
 - in SeO , 326
 - in SeS , 326
 - in SO , 326
 - in Te_2 , 326
 - in TeO , 326
 - in TeS , 326
 - in $TeSe$, 326
- spontaneous fluorescence, 632
- SrO
 - perturbations in, 296
- standard deviation, 250
- Stark effect, 419
- Stark quantum-beat (SQB), 433
 - in BaO, 433, 434
 - in CN, 436
 - in LiH, 433
- state space
 - dynamics, 692
 - resonance energy operator, 693
 - transfer rate operator, 693
- state-selective
 - detection, 638, 646
 - excitation, 646
- stationary phase, 511, 632, 667
 - approximation, 667
 - point, 669
- steepest descents, 254
- Stimulated Emission Pumping (SEP), 26, 36, 103, 632
- stretch-bend polyad, 696
- strong and weak coupling limits, 656, 735
 - bifurcation in dynamics, 735
- subband intensity anomalies, 404
- Sum Frequency Generation (SFG), 49
- supercomplex, 214
 - Rydberg
 - in BaF, 127
 - in NO, 127
- superexcited state, 552, 564
 - decay pathways, 604
- superposition state
 - pair of, 637
- supersonic jet, 42
- Surface Electron Ejection by Laser Excited Metastable molecules (SEELEM), 45
- surface of section, 722, 729, 730
- survival probability, 103, 624, 636–638, 672, 680, 699, 700
 - transfer probability, 646
- σ_v operator, 70
- symmetry properties, 138
 - case (a) basis set, 138
 - parity, 138
- Te₂
 - spin-spin constants in, 326
- TeH
 - spin-orbit constant in, 320
- tensorial operators, 203
- TeO
 - spin-spin constants in, 326
- term-value method, 259

- TeS
 spin-spin constants in, 326
- TeSe
 spin-spin constants in, 326
- theoretical expressions for widths, 505
- third-order effect, 269
- three (3- j) coefficients, 110
 coupled \leftrightarrow uncoupled, 111
 selection rules, 204
 use of, for transformations between Hund's cases, 130
- three-photon transition, 366
 in CO₂, 368
 in NO, 367
 in O₂, 368
- threshold photoelectron spectroscopy (TPES), 557
- Time-of-Flight methods (TOF), 22, 484
- trajectories
 phase space, 721
- transfer probability, 636, 638, 646
- transfer rate
 in CO, 452
- transfer rate operator, 694, 695, 698, 701
- transformation
 (a^+, a) \leftrightarrow (a^+, e), 132, 135
 of basis set, 132
 of \mathbf{H} , 135
 of \mathbf{H}^{eff} , 132
 $v_i \leftrightarrow \mathbf{a}^\dagger \mathbf{a}_i$, 711
 between Hund's cases, 130
 by diagonalizing \mathbf{H}^{eff} , 130
 case (a) \leftrightarrow case (b), 116
² Π , 132
 case (b) \leftrightarrow case (d), 121
 of basis states, 121
 of $\mathbf{H}^{(d)} \leftrightarrow \mathbf{H}^{(b)}$, 121
 of \mathbf{H}^{el} , 121
 case (d) \leftrightarrow case (e), 110
 Clebsch-Gordan (CG) coefficients, 130
 coupled \leftrightarrow uncoupled, 133
 F_i spin-component convention, 131
 normal \leftrightarrow local mode, 702
 three (3- j) coefficients, 131, 133
 (3- j) \leftrightarrow CG, 130
 properties, 133
 reversed angular momentum, 134
- transition
 in ³ $\Delta - ^3\Pi$, 391
 matrix elements, 390
 in ¹ $\Pi - ^1\Sigma^+$, 393
 in ¹ $\Sigma^+ - ^1\Sigma^+$, 394
 in ³ $\Sigma^- - ^1\Sigma^+$, 399, 412
- transition moment, 348
 case (b) $np - ^1\Sigma^+$, 398
 case (c) $\frac{1}{2} - \frac{1}{2}$, 396
- transition probabilities
 Einstein, 349, 659
- truncation of basis set
 contact transformation, 684
 Van Vleck transformation, 684
- tunneling, 521
- two-level problem, 674, 675, 678
 autocorrelation function, 637
 complex energies, 674
 level attraction, 675, 678
 level repulsion, 674, 675
 nondegenerate perturbation theory, 674
 quasidegenerate perturbation theory, 675
 strong coupling, 676, 677
 survival probability, 637
 transfer probability, 637
 weak coupling limit, 676–679
- two-photon
 transitions, 359
 in NO, 365
- ultracold collisions, 43
- ultrashort pulses, 54
- unique perturber approximation, 225, 259, 261
- unitary transformation
 trace invariance, 111
 transformation coefficients, 107
 notation, 107

- valence state, 262, 308, 315
- valence~Rydberg mixing, 308, 310
- valence~Rydberg perturbation, 262
- Van Vleck transformation, 237, 247, 684, 709, 717
- variance of the fit, 251, 256
- variance-covariance matrix, 250
- variational calculations, 234
- vector coupling coefficient, 117
- Velocity Imaging Photo-electron CO-incidence Spectroscopy (VIPCO), 41
- velocity modulation spectroscopy, 29
- vibrational eigenfunction, 91
- vibrational overlap integrals, 282
- vibrational quasi-continuum, 671
 - relaxation into
 - direct vs. doorway mediated, 671
 - nonstationary state, 671
- vibrational state branching ratio for the photoionization of N₂, 563
- vibrational wavefunction
 - phase, 292
- vibrational wavepacket, 630, 633
- VO, spin-orbit constant in, 185
- Voigt profile, 503
- wavefunction
 - time-dependent, 625
- wavenumber, 3
- wavepacket, 476, 610, 623, 646, 656
 - center, 645
 - compression, 661
 - ΔR vs. ΔP motion, 632
 - Gaussian, 661
 - interference, 649
 - interferometry, 650, 651
 - phase coherent, 653
 - Ramsey-fringe spectroscopy, 649
 - localized state, 644
 - motion, 650
 - of center, 644
 - in coordinate space, 625
 - nuclear, 659
 - rotational, 659
 - vibrational, 660
 - radial, 668
 - electronic, 668
 - Rydberg, 668
 - rephasing, 651
 - rotational, 667
 - recurrences, 668
 - Rydberg
 - effect of ion-core quadrupole, 670
 - vs. Franck-Condon, 669
 - Kepler period, 668
 - precessional period, 668
 - time evolution, 623
 - variance, σ , 645
 - vibrational, 661
 - width, 645
- weighting function, 258
- Wigner rotation matrix element, 107
- Wigner-Eckart theorem, 71, 204
- Wigner-Witmer rules, 471, 528
- Worley's third series, 314
- Zeeman effect, 418
 - anticrossing, 421, 427
 - in CN, 418, 419, 428
 - in CO, 418
 - in H₂, 428
 - in HCP, 418
 - in I₂, 427
 - in N₂⁺, 418
 - in NO, 418, 440
 - in OH, 437
 - g -value, 430, 438
 - g_J -value in Se₂, 432
 - lifetime in I₂, 426
 - quantum beat, 430, 432
 - in Se₂, 432
- Zero Electron Kinetic Energy (ZEKE), 38, 45
 - intensities, 591
 - spectroscopy, 557
 - spectrum, 558
 - of HCl, 593, 594

of I₂, 595
of NO, 558, 595
of O₂, 557, 561